

[illegible]

```

$ if p1 .eqs. "" then p1 = $status
$ if f$type(p1) .eqs. "STRING" then goto done
$ if p2 .nes. "" then write sys$output "Warning - superfluous extra arguments being ignored."
$ p2 = f$message (p1)
$ p1 = f$element (2, "-", p1)
$ p1 = f$element (0, "-", p1)
$ if p1 .eqs. "NORMAL" then goto normal
$ if p1 .eqs. "NOMSG" then goto nomsg
$done:
$ help/libr=sys$help:errorlib.hlb/noprompt/nopage/noinst/nolibl/nouser 'p1 'p2
$ exit
$
$normal:
$ write sys$output ""
$ write sys$output "NORMAL - Normal successful completion."
$ exit
$
$nomsg:
$ write sys$output ""
$ write sys$output "NOMSG - Message cannot be resolved from status code."
$ write sys$output "Specify IDENTIFICATION text explicitly." $ exit

```

0232 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

AUTOGEN
LIS

NETCONFIG
LIS

STARTUP
LIS

VMSINSTAL
MEM

SWAPFILES
LIS

TRANSERR
LIS

MAKEROOT
LIS

SHUTDOWN
LIS

SPKITBLD
LIS

VMSINSTAL
LIS

VMSUPDATE
LIS